



COUNTY OF HAWAII
DEPARTMENT OF PARKS & RECREATION
101 PAUHI STREET; SUITE 6 / HILO, HAWAII 96720 / PHONE: 808.961.8311 / FAX: 808.961.8411

PAHOA PARK MASTER PLAN PHASE I

JOB NO.: PR-4234
BID SUBMITTAL - 2014-02-10
ADD 3 - 2014-04-10

PAHOA, PUNA, HAWAII - TMK: (3) 1-5-002:020

DIRECTOR
DEPARTMENT OF PARKS & RECREATION

DATE

APPROVED:

MAYOR
COUNTY OF HAWAII

DATE

DIRECTOR
PLANNING DEPARTMENT

DATE

DIRECTOR
DEPARTMENT OF PUBLIC WORKS

DATE

CHIEF
FIRE DEPARTMENT

DATE

DIRECTOR
DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

DATE

MANAGER
DEPARTMENT OF WATER SUPPLY

DATE

CHIEF
ENVIRONMENTAL MANAGEMENT DIVISION
STATE OF HAWAII DEPARTMENT OF HEALTH

DATE



WCITARCHITECTURE

725 KAPIOLANI BOULEVARD, SUITE C-400
HONOLULU, HAWAII 96813
PHONE (808) 592-2345

www.wcitarch.com
wcit@wcitarch.com



Robert K. Toya
4/30/2014
Exp. Date

THESE PLANS WERE PREPARED BY ME OR UNDER MY CLOSE PERSONAL SUPERVISION AND I AM A LICENSED PROFESSIONAL ARCHITECT IN THE STATE OF HAWAII. I WILL BE UNDER MY OBSERVATION. NOTE: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AT JOB SITE BEFORE PROCEEDING WITH WORK.

DESCRIPTION

ADD3-REVISIONS

DATE

2014-04-10

MARK


2014-04-10

REVIEWED:


DATE

DEPARTMENT OF PARKS AND RECREATION

VICINITY MAP



LOCATION MAP



CONSULTANTS

WCIT ARCHITECTURE
725 KAPIOLANI BLVD., STE C-400, HONOLULU, HI 96813
808-592-2345
PRIME CONSULTANT / (ARCHITECTURE)

ENGINEERING PARTNERS, INC. (SUBCONSULTANT)
455 E. LANIKAULA ST., HILO, HI 96720
808-930-7828
(CIVIL/STRUCTURAL/MECHANICAL/ELECTRICAL ENGINEERING)

IRVIN HIGASHI AND ASSOCIATES (SUBCONSULTANT)
533 IHE ST., HONOLULU, HI 96817
808-735-0844
(LANDSCAPE ARCHITECTURE)

PBR (SUBCONSULTANT)
1001 BISHOP ST., HONOLULU, HI 96813
808-954-6347
(PLANNING AND ENTITLEMENT)

CONSPECTUS, INC. (SUBCONSULTANT)
2231 ROUTE 50, P.O. BOX 248, TUCKAHOE, NJ 08250
808-930-7828
(SPECIFICATIONS)

ISLAND SURVEY, INC. (SUBCONSULTANT)
P.O. BOX 4215, HILO, HI 96720
808-935-9105
(SITE SURVEYOR)

COUNTY OF HAWAII
DEPARTMENT OF PARKS & RECREATION
101 PAUHI STREET; SUITE 6 / HILO, HAWAII 96720 / PHONE: 808.961.8311 / FAX: 808.961.8411



PAHOA PARK MASTER PLAN
PHASE I - BID SUBMITTAL 2014-02-10
TMK: (3) 1-5-002:020

PAHOA, PUNA, HAWAII

JOB NO.: PR-4234

PLANNING AND ENTITLEMENT

GENERAL INFORMATION - TITLE SHEET

DATE: 2014-02-10

SHEET NO.
GI001

OF SHEETS

PRINT DATE: 10 April 2014

ARCHITECTURAL ABBREVIATIONS				PROJECT AND CODE INFORMATION		GENERAL NOTES	
<div><div>&@CLØ</div><div>A/CACM</div><div>ACOUSACTADJAL, ALUMANOD</div><div>BDBLDGBLKGMBOT</div><div>CERCLRCLGCLOCMUCPCTCOCNCCT</div><div>DETDIADEPTDRDSDWGS</div><div>EAELECEQEQPM</div><div>EWCEXP</div><div>EXST</div><div>FDFF&E</div><div>FSGFSH</div><div>GFIGFI</div><div>GLGOVGR FLGWBGYP</div><div>HBHDWDDHMHORIZHT</div><div>INSULINCL</div><div>JANJNT</div><div>mmmMACHMATMAX</div><div>MBHMECHMETMISC</div><div>MINMIRMTO</div><div>NICNOM</div><div>OC</div><div>PLBGPLYWDPDWR</div></div>	<div>ANDAT</div> <div>CENTER LINE DIAMETER</div> <div>AIR CONDITIONING</div> <div>ASBESTOS CONTAINING MATERIAL</div> <div>ACOUSTICAL</div> <div>ACOUSTICAL CEILING TILE</div> <div>ADJUSTABLE</div> <div>ALUMINUM</div> <div>ANODIZED</div> <div>BOARD</div> <div>BUILDING BLOCKING</div> <div>BEAM</div> <div>BOTTOM</div> <div>CERAMIC</div> <div>CLEAR</div> <div>CEILING</div> <div>CLOSET</div> <div>CONCRETE MASONRY UNIT</div> <div>CARPET</div> <div>CLEAN OUT</div> <div>CONCRETE</div> <div>CONTINUOUS</div> <div>CERAMIC TILE</div> <div>DETAIL</div> <div>DEPARTMENT</div> <div>DIAMETER</div> <div>DOOR</div> <div>DOWNSPOUT</div> <div>DRAWINGS</div> <div>EACH</div> <div>ELECTRICAL</div> <div>EQUAL</div> <div>EQUIPMENT</div> <div>ELECTRIC WATER COOLER</div> <div>EXPANSION OR EXPOSED</div> <div>EXISTING</div> <div>FLOOR DRAIN</div> <div>FIRE EXTINGUISHER CABINET</div> <div>FURNITURE,</div> <div>FURNISHING & EQUIPMENT</div> <div>FREE STANDING GUARDRAIL</div> <div>FREE STANDING HANDRAIL</div> <div>GROUND FAULT INTERRUPTOR</div> <div>GROUND FAULT CIRCUIT INTERRUPTOR</div> <div>GLASS OR GLAZING</div> <div>GOVERNMENT</div> <div>GROUND FLOOR</div> <div>GYPSUM WALL BOARD</div> <div>GYPSUM</div> <div>HOSE BIB</div> <div>HARDWOOD</div> <div>HOLLOW METAL</div> <div>HORIZONTAL</div> <div>HEIGHT</div> <div>INSULATION, INSULATED</div> <div>INCLUDED, INCLUDING</div> <div>JANITOR</div> <div>JOINT(S)</div> <div>METER</div> <div>MILLIMETER</div> <div>MACHINE</div> <div>MATERIAL</div> <div>MAXIMUM</div> <div>MOP/BROOM HOLDER</div> <div>MECHANICAL</div> <div>METAL</div> <div>MISCELLANEOUS</div> <div>MINIMUM, MINUTES</div> <div>MIRROR</div> <div>MOUNTED</div> <div>NOT IN CONTRACT</div> <div>NOMINAL</div> <div>ON CENTER</div> <div>PLUMBING</div> <div>PLYWOOD</div> <div>PAPER TOWEL DISPENSER</div> <div>AND WASTE RECEPTACLE</div>	<div>PTHPTNR&DREINRECTREFURBRFGRHRRM</div> <div>SC</div> <div>SCHDSCTD</div> <div>SCTNDWITHSDSEALSIMSPECSLSTDSTLSTOSTRSTLSSTSSUSPSYMSYM</div> <div>T</div> <div>TBTREATMENTTDWRWASTETHDTHKTHRU</div> <div>TLT</div> <div>TSCTD</div> <div>TSCTDWR</div> <div>TTD</div> <div>TYP</div> <div>UONUR</div> <div>VCTVERTVFT</div> <div>W/WCWDWDVWHWMHWR</div>	<div>PAPER TOWER HOLDER</div> <div>PARTITION</div> <div>REMOVE AND DISPOSE</div> <div>REINFORCE</div> <div>RECTANGLE, RECTANGULAR</div> <div>REFURBISH</div> <div>ROOFING</div> <div>ROBE HOOK</div> <div>ROOM</div> <div>SOLID CORE, SHOWER CURTAIN</div> <div>SCHEDULE</div> <div>SHOWER CURTAIN ROD</div> <div>SEAT COVER, TISSUE DISPENSER</div> <div>SEAT COVER, TISSUE DISPENSER</div> <div>SOAP DISPENSER</div> <div>SEALANT</div> <div>SIMILAR</div> <div>SPECIFICATION</div> <div>SLOPE OR WINDOW SILL</div> <div>STANDARD</div> <div>STEEL</div> <div>STORAGE</div> <div>STRUCTURAL</div> <div>STAINLESS STEEL</div> <div>SUSPENDED</div> <div>SYMBOL(S)</div> <div>WINDOW TREATMENT</div> <div>TOWEL BAR OR WINDOW</div> <div>AND BLACKOUT SHADE</div> <div>PAPER TOWEL DISPENSER AND</div> <div>RECEPTACLE</div> <div>THREAD</div> <div>THICK</div> <div>THROUGH</div> <div>TOILET</div> <div>TOILET SEAT COVER AND TISSUE DISPENSER</div> <div>TOILET SEAT COVER, TISSUE DISPENSER AND WASTE REPTACLE</div> <div>TOILET TISSUE DISPENSER</div> <div>TYPICAL</div> <div>UNLESS OTHERWISE NOTED</div> <div>URINAL</div> <div>VINYL COMPOSITE TILE</div> <div>VERTICAL</div> <div>VINYL FLOOR TILE</div> <div>WITH</div> <div>WATER CLOSET</div> <div>WOOD</div> <div>WOOD VENEER</div> <div>WATER HEATER</div> <div>WALL MOUNTED HANDRAIL</div> <div>WATER RESISTANCE OR EXTERIOR WALL RECESS</div>	<div>APPLICANT: COUNTY OF HAWAI'I, DEPARTMENT OF PARKS & RECREATION</div> <div>LOCATION: PAHOA PARK, PAHOA VILLAGE, PUNA, HAWAI'I</div> <div>PARCEL AREA: PAHOA PARK, PAHOA VILLAGE, PUNA, HAWAI'I</div> <div>PROPOSED USE: PAHOA PARK, (PUBLIC USE).</div> <div>TMK: 1-5-002:020</div> <div>APPLICABLE CODES:</div> <div>a. BUILDING CODE: 2006 IBC AND CHAPTER 5-BUILDING OF THE HAWAII COUNTY CODE, HAWAI'I ADMINISTRATIVE RULES, (HAR)</div> <div>b. HAR, CHAPTER 26, FIRE CODE.</div> <div>c. MECHANICAL CODE: 2006 INTERNATIONAL ENERGY CONSERVATION CODE, CHAPTER 5-BUILDING OF THE HAR AND DEPARTMENT OF HEALTH, STATE OF HAWAII, CHAPTER 39.</div> <div>d. PLUMBING CODE: 2006 UNIFORM PLUMBING CODE AND HAR, CHAPTER 17.</div> <div>e. ELECTRICAL CODE: 2008 NATIONAL ELECTRIC CODE AND HAR, CHAPTER 9.</div> <div>ZONING: SINGLE FAMILY RESIDENTIAL, (RS-10) AND AGRICULTURAL - 1 ACRE, (A-1a).</div> <div>SITE AREA: 71.121 AC.</div> <div>FLOOD ZONE: N/A</div> <div>CLIMATE ZONE: ZONE 1</div> <div>OCCUPANCY:</div> <div>a. COVERED PLAY COURTS: A-3, B AND S-1.</div> <div>b. CONCESSION BOOTH: B AND S-1. Δ</div> <div>c. COMFORT STATION: B AND S-1.</div> <div>d. AUXILIARY STRUCTURES: A-5.</div> <div>CONSTRUCTION TYPE:</div> <div>a. COVERED PLAY COURTS: TYPE II-B.</div> <div>b. CONCESSION BOOTH: TYPE V-B. Δ</div> <div>c. COMFORT STATION: TYPE V-B.</div> <div>d. AUXILIARY STRUCTURES: TYPE V-B.</div> <div>ALLOWABLE HEIGHT AND BUILDING AREAS, (TABLE 503 2006 IBC)</div> <div>a. GROUP A-3, CONSTRUCTION TYPE II-B: (2) STORIES, 9,500 SF PER STORY X (2) STORIES = 19,000 SF TOTAL ALLOWABLE.</div> <div>b. GROUP B, CONSTRUCTION TYPE V-B: (2) STORIES, 9,000 SF PER STORY X (2) STORIES = 18,000 SF TOTAL ALLOWABLE.</div> <div>c. GROUP S-1, CONSTRUCTION TYPE V-B: (1) STORY, 9,000 SF PER STORY = 9,000 SF TOTAL ALLOWABLE.</div> <div>d. ALLOWABLE INCREASES:</div> <div>d.a. PER FOOTNOTE a, SECTION 504.2, (1) STORY INCREASE DUE TO AUTOMATIC SPRINKLER SYSTEM INSTALLATION.</div> <div>d.b. PER FOOTNOTE a, SECTION 506.2, ALLOWABLE AREA INCREASE DUE TO STREET FRONTAGE.</div> <div>d.c. PER FOOTNOTE a, SECTION 506.3, ALLOWABLE AREA INCREASE DUE TO AUTOMATIC SPRINKLER SYSTEM INSTALLATION.</div> <div>d.d. PER FOOTNOTE a, SECTION 507, UNLIMITED AREA BUILDINGS. PER SECTION 507.6, GROUP A-3, TYPE II CONSTRUCTION, AREA NOT LIMITED IF CRITERIA MET.</div> <div>FIRE-RESISTANCE REQUIREMENTS FOR BUILDING ELEMENTS, (TABLE 601 2006 IBC)</div> <div>a. TYPE II-B, FIRE RESISTANCE RATING FOR STRUCTURAL FRAME, EXTERIOR AND INTERIOR BEARING WALLS, EXTERIOR AND INTERIOR NON-BEARING WALLS, FLOOR AND ROOF CONSTRUCTION, (0) HOUR RATING.</div> <div>b. a. TYPE V-B, FIRE RESISTANCE RATING FOR STRUCTURAL FRAME, EXTERIOR AND INTERIOR BEARING WALLS, EXTERIOR AND INTERIOR NON-BEARING WALLS, FLOOR AND ROOF CONSTRUCTION, (0) HOUR RATING.</div> <div>MAXIMUM AREA OF EXTERIOR WALL OPENINGS, (TABLE 704.8 2006 IBC)</div> <div>a. PER FOOTNOTE i, UNLIMITED, UNPROTECTED OPENINGS PERMITTED IF FIRE SEPARATION GREATER THAN 5" AND EXTERIOR BEARING, NON-BEARING WALLS AND STRUCTURAL FRAME NOT REQUIRED TO BE FIRE-RESISTANCE RATED PER TABLE 601 OR 602.</div> <div>SPRINKLERS:</div> <div>a. INTERIOR: AUTOMATIC SPRINKLER SYSTEM PROVIDED.</div> <div>PLAY COURT</div> <div>OCCUPANCY CLASSIFICATION: MIXED</div> <div>PLAY COURT AREA: A-3</div> <div>CONCESSION AREA, OFFICE AND RESTROOMS: B</div> <div>STORAGE, ELECTRICAL AND JANITOR ROOMS: S-1</div> <div>AREA MODIFICATIONS</div> <div>ALLOWABLE TABULAR ARE, At, (TABLE 503) = 1</div> <div>AREA INCREASE FACTOR DUE TO FRONTAGE, If, (506.2) = .75</div> <div>NORTH-39', EAST-112', SOUTH-93' AND WEST-129'</div> <div>TOTAL FRONTAGE, (F) = 373'</div> <div>PERIMETER, (P) = 373'</div> <div>WIDTH OF OPEN SPACE, (W) = 30', (MAX. ALLOWABLE)</div> <div>AREA INCREASE FACTOR DUE TO FRONTAGE, If, (506.2) = .75</div> <div>AREA INCREASE FACTOR DUE TO AUTOMATIC SPRINKLERS, Is, (506.3) = 3</div> <div>CONVERSION FACTOR = 4.75</div> <div>ACTUAL BUILDING AREA = 31,829 SF</div> <div>ADJUSTED BUILDING AREA, (ACTUAL BUILDING AREA/CONVERSION FACTOR) = 6,701 SF</div> <div>ACTUAL BUILDING HEIGHT = 42'-2", (1) STORY</div> <div>ALLOWABLE BUILDING HEIGHT = (2) STORY</div> <div>TYPE OF CONSTRUCTION ASSUMED = TYPE II-B</div> <div>ALLOWABLE AREA PER FLOOR, Aa</div> <div>4.75, (CONVERSION FACTOR) X 9,500, (TABULAR AREA) = 45,125 SF</div> <div>TOTAL FLOOR AREA, (ALL STORIES) = 31,829 SF</div> <div>ALLOWABLE FLOOR AREA, (ALL FLOORS) = 45,125 SF X 2 STORIES = 90,250 SF</div> <div>PLAY COURT BUILDING IN COMPLIANCE.</div> <div>CONCESSION BOOTH</div> <div>OCCUPANCY CLASSIFICATION: MIXED</div> <div>CONCESSION AREA AND RESTROOMS: B</div> <div>STORAGE, ELECTRICAL AND JANITOR ROOMS: S-1</div> <div>ACTUAL BUILDING AREA = 1,605 SF</div> <div>ACTUAL BUILDING HEIGHT = 22'-2", (1) STORY</div> <div>ALLOWABLE BUILDING HEIGHT = (2) STORY</div> <div>TYPE OF CONSTRUCTION ASSUMED = TYPE V-B</div> <div>TOTAL FLOOR AREA, (ALL STORIES) = 1,605 SF</div> <div>ALLOWABLE FLOOR AREA, (ALL FLOORS) = 9,000 SF X 2 STORIES = 18,000 SF</div> <div>CONCESSION BOOTH BUILDING IN COMPLIANCE.</div> <div>COMFORT STATION</div> <div>OCCUPANCY CLASSIFICATION: MIXED</div> <div>RESTROOMS: B</div> <div>ELECTRICAL AND JANITOR ROOMS: S-1</div> <div>ACTUAL BUILDING AREA = 859 SF</div> <div>ACTUAL BUILDING HEIGHT = 19'-10", (1) STORY</div> <div>ALLOWABLE BUILDING HEIGHT = (2) STORY</div> <div>TYPE OF CONSTRUCTION ASSUMED = TYPE V-B</div> <div>TOTAL FLOOR AREA, (ALL STORIES) = 859 SF</div> <div>ALLOWABLE FLOOR AREA, (ALL FLOORS) = 9,000 SF X 2 STORIES = 18,000 SF</div> <div>COMFORT STATION BUILDING IN COMPLIANCE.</div>	<div>1. CONTRACTOR SHALL FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AND INFORM OWNER REPRESENTATIVE OF ANY DISCREPANCIES & CONFLICTS BEFORE PROCEEDING WITH WORK.</div> <div>2. CONTRACTOR TO VERIFY ALL EXISTING SITE UTILITY INFRASTRUCTURE WITH OWNER REPRESENTATIVE PRIOR TO UTILITY REMOVAL.</div> <div>3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE QUANTITY OF DEMOLITION, REPAIR AND REPLACEMENT WORK BEFORE SUBMITTING A BID.</div> <div>4. ALL ITEMS SHOWN ARE NEW OR REPLACE WORK EXCEPT AS NOTED "EXISTING".</div> <div>5. CONTRACTOR TO REMOVE ALL ITEMS AND MATERIALS IN SUCH A MANNER AS TO PREVENT DAMAGE TO REMAINING ITEMS, MATERIALS AND ADJACENT SURFACES. CONTRACTOR TO REPAIR ANY DAMAGES CAUSED BY REMOVAL AT NO ADDITIONAL COST TO THE OWNER.</div> <div>6. THE CONTRACTOR SHALL REVIEW THE PROJECT FOR LONG LEAD ITEMS AND PROVIDE SPECIAL CONSIDERATION TO AVOID UNNECESSARY DELAYS TO THE COMPLETION OF THE PROJECT.</div> <div>7. ALL AREAS EXPOSED AS A RESULT OF REMOVAL/DEMOLITION WORK SHALL BE PATCHED AND FINISHED TO MATCH ADJACENT SURFACES.</div> <div>8. ALL WASTE MATERIALS SHALL BE PROMPTLY REMOVED AND DISPOSED OF OUTSIDE THE LIMITS OF PROJECT PROPERTY.</div> <div>9. CONTRACTOR TO COORDINATE WORK WITH OTHER TRADES AVOIDING CONFLICTS & DELAYS.</div> <div>10. IF CONTRACTOR OR SUBCONTRACTOR FIND ANY DISCREPANCIES OR AMBIGUITIES IN, OR OMISSIONS FROM THE DRAWINGS AND SPECIFICATIONS, CONTRACTOR SHALL NOTIFY OWNER REPRESENTATIVE AND ARCHITECT OF RECORD FOR CLARIFICATION.</div> <div>11. CONTRACTOR SHALL EMPLOY NECESSARY MEANS TO PROTECT THE GENERAL PUBLIC AND PERSONNEL FROM INJURY AS A RESULT OF THE WORK INCLUDING, BUT NOT LIMITED TO, BARRICADES, SIGNAGE, OVERHEAD PROTECTION, ETC.</div> <div>12. ALL EXISTING UTILITIES, WHETHER OR NOT SHOWN ON THE DRAWINGS, SHALL BE PROTECTED AT ALL TIMES BY THE CONTRACTOR DURING CONSTRUCTION. ANY DAMAGE TO THE EXISTING UTILITIES SHALL BE REPAIRED BY THE CONTRACTOR AT HIS EXPENSE.</div> <div>13. INFORMATION INDICATED ON THESE DRAWINGS HAS BEEN OBTAINED FROM A LIMITED AMOUNT OF FIELD INVESTIGATION AND AVAILABLE SOURCES AT THE TIME DRAWINGS WERE PREPARED. THE DRAWINGS RELATIVE TO EXISTING CONDITIONS IS GIVEN AS THE BEST PRESENT KNOWLEDGE. THE ACCURACY AND COMPLETENESS OF THIS INFORMATION IS NOT GUARANTEED. WHERE ACTUAL CONDITIONS CONFLICT WITH THE DRAWINGS SHALL BE REPORTED TO OWNER REPRESENTATIVE SO THAT PROPER REVISION CAN BE MADE. MODIFICATION OF DETAILS OF CONSTRUCTION SHALL NOT BE MADE WITHOUT WRITTEN APPROVAL OF THE ARCHITECT OF RECORD.</div> <div>14. DIMENSIONING CRITERIA:</div> <div>14.1.1.1. STUD WALLS ARE DIMENSIONED FROM FACE-OF-FINISH UNLESS OTHERWISE NOTED, (U.O.N.)</div> <div>14.1.1.2. STRUCTURAL WALLS ARE DIMENSIONED TO FACE OF STRUCTURE, U.O.N.</div> <div>14.1.1.3. COLUMNS ARE DIMENSIONED TO CENTER OF COLUMN GRIDLINES, U.O.N.</div> <div>14.1.1.4. DIMENSIONS NOTED AS "CLEAR" ARE CRITICAL MINIMUMS DIMENSIONED FROM FACE-OF-FINISH.</div> <div>14.1.1.5. WALLS ARE DIMENSIONED FROM FACE-OF-WALL TO FACE-OF WALL. CABINETRY IS DIMENSIONED FOR OVERALL DEPTH, HEIGHT AND LENGTH OF UNITS.</div> <div>15. THE CONTRACTOR SHALL REPORT IN WRITING ANY CONCEALED, UNSATISFACTORY, UNFORESEEN AND/OR DIMENSIONAL DISCREPANCIES CONDITIONS IMMEDIATELY FOR EVALUATION AND AUTHORIZATION FOR CORRECTIVE MEASURES TO OWNER REPRESENTATIVE. FAILURE TO COMPLY WITH THIS CONDITION MAY RESULT IN PLACING ALL RESPONSIBILITY, LIABILITY AND EXPENSE TO THE CONTRACTOR.</div> <div>16. VERIFY PLAN DIMENSIONS WITH ACTUAL FIELD MEASUREMENTS. SCALING OF DRAWING MAY NOT BE ACCURATE.</div> <div>17. DO NOT SCALE DRAWINGS: THE CONTRACTOR SHALL USE DIMENSIONS SHOWN ON THE DRAWINGS AND ACTUAL FIELD MEASUREMENT.</div> <div>18. MANUFACTURED MATERIALS, EQUIPMENT, PRODUCTS SHALL BE INSTALLED BY THE MANUFACTURER'S RECOMMENDATIONS, INSTRUCTIONS AND ADAAG REQUIREMENTS AND GUIDELINES, U.O.N.</div> <div>19. THIS PROJECT SHALL BE DESIGNED AND CONSTRUCTED TO CONFORM WITH THE AMERICAN WITH DISABILITIES ACT, ARCHITECTURAL BARRIERS ACT ACCESSIBILITY GUIDELINES, JULY 23 2004, AND FAIR HOUSING ACT.</div>		
<div>DESIGNED BY:OF</div> <div>DRAWN BY: DF</div> <div>CHECKED BY: SC</div> <div>SHEET NO.</div> <div>G1002</div> <div>### OF ### SHEETS</div> <div>DATE: 2014-02-10</div>				<div>COUNTY OF HAWAI'I DEPARTMENT OF PARKS & RECREATION 10 PALAHU STREET SUITE C7 HILO, HAWAII 96720 / PHONE: 808.961.8311 / FAX: 808.961.8411</div> <div>PAHOA PARK MASTER PLAN PHASE I - BID SUBMITTAL 2014-02-10 PAHOA, PUNA, HAWAII JOB NO.: PR-4234 GENERAL INFORMATION - GENERAL NOTES AND CODE INFORMATION</div> <div>PLN. SHEET DESCRIPTION: 2014-02-10</div>		<div>ROBERT K. TOYA LICENSED PROFESSIONAL ARCHITECT No. 3860 HAWAII, U.S.A.</div> <div>Robert Iqin, AIA 4/30/2014 Exp. Date THE WORK WAS PREPARED BY AN ARCHITECT OR ARCHITECTURAL FIRM. IT WILL BE UNDER MY OBSERVATION. NOTE: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AT JOB SITE PRIOR TO WORK.</div> <div>Robert Iqin, AIA 4/30/2014 Exp. Date THE WORK WAS PREPARED BY AN ARCHITECT OR ARCHITECTURAL FIRM. IT WILL BE UNDER MY OBSERVATION. NOTE: CONTRACTOR SHALL CHECK AND VERIFY ALL DIMENSIONS AT JOB SITE PRIOR TO WORK.</div>	
<div>DESCRIPTION</div> <div>ADD3-REVISED BUILDING NAME</div> <div>DATE</div> <div>2014-04-10</div> <div>MARK</div> <div>Δ</div> <div>REVIEWED:</div> <div>DEPARTMENT OF PARKS AND RECREATION</div> <div>DATE</div>							

1

TE - SITE PLAN

TE - SITE SECTION - LONGITUDINAL

TE - SITE SECTION - LONGITUDINAL

TE - SITE SECTION - TRANSVERSE

TE - SITE SECTION - TRANSVERSE

PRINT DATE: 15 April 2014

[illegible]



MARK	DATE	DESCRIPTION
△	2014-04-10	ADD3-UPDATED OCCUPANCY TABLE

REVIEWED: _____

DEPARTMENT OF PARKS AND RECREATION _____ DATE _____

SHEET NO. G-002

